



DOLK-congenital disorder of glycosylation

DOLK-congenital disorder of glycosylation (*DOLK*-CDG, formerly known as congenital disorder of glycosylation type 1m) is an inherited condition that often affects the heart but can also involve other body systems. The pattern and severity of this disorder's signs and symptoms vary among affected individuals.

Individuals with *DOLK*-CDG typically develop signs and symptoms of the condition during infancy or early childhood. Nearly all individuals with *DOLK*-CDG develop a weakened and enlarged heart (dilated cardiomyopathy). Other frequent signs and symptoms include recurrent seizures; developmental delay; poor muscle tone (hypotonia); and dry, scaly skin (ichthyosis). Less commonly, affected individuals can have distinctive facial features, kidney disease, hormonal abnormalities, or eye problems.

Individuals with *DOLK*-CDG typically do not survive into adulthood, often because of complications related to dilated cardiomyopathy, and some do not survive past infancy.

Frequency

DOLK-CDG is likely a rare condition; at least 18 cases have been reported in the scientific literature.

Genetic Changes

DOLK-CDG is caused by mutations in the *DOLK* gene. This gene provides instructions for making the enzyme dolichol kinase, which facilitates the final step of the production of a compound called dolichol phosphate. This compound is critical for a process called glycosylation, which attaches groups of sugar molecules (oligosaccharides) to proteins. Glycosylation changes proteins in ways that are important for their functions. During glycosylation, sugars are added to dolichol phosphate in order to build the oligosaccharide chain. Once the chain is formed, dolichol phosphate transports the oligosaccharide to the protein that needs to be glycosylated and attaches it to a specific site on the protein.

Mutations in the *DOLK* gene lead to the production of abnormal dolichol kinase with reduced or absent activity. Without properly functioning dolichol kinase, dolichol phosphate is not produced and glycosylation cannot proceed normally. In particular, a protein known to stabilize heart muscle fibers, called alpha-dystroglycan, has been shown to have reduced glycosylation in people with *DOLK*-CDG. Impaired glycosylation of alpha-dystroglycan disrupts its normal function, which damages heart muscle fibers as they repeatedly contract and relax. Over time, the fibers weaken and break down, leading to dilated cardiomyopathy. The other signs and symptoms of *DOLK*-CDG are

likely due to the abnormal glycosylation of additional proteins in other organs and tissues.

Inheritance Pattern

This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Other Names for This Condition

- CDG1M
- congenital disorder of glycosylation, type 1m
- DK1 deficiency
- dolichol kinase deficiency
- DOLK-CDG

Diagnosis & Management

These resources address the diagnosis or management of DOLK-CDG:

- GeneReview: Congenital Disorders of N-Linked Glycosylation Pathway Overview
<https://www.ncbi.nlm.nih.gov/books/NBK1332>
- Genetic Testing Registry: Congenital disorder of glycosylation type 1M
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1835849/>
- MedlinePlus Encyclopedia: Dilated Cardiomyopathy
<https://medlineplus.gov/ency/article/000168.htm>

These resources from MedlinePlus offer information about the diagnosis and management of various health conditions:

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>

Additional Information & Resources

MedlinePlus

- Encyclopedia: Dilated Cardiomyopathy
<https://medlineplus.gov/ency/article/000168.htm>
- Health Topic: Cardiomyopathy
<https://medlineplus.gov/cardiomyopathy.html>
- Health Topic: Metabolic Disorders
<https://medlineplus.gov/metabolicdisorders.html>

Genetic and Rare Diseases Information Center

- Congenital disorders of glycosylation
<https://rarediseases.info.nih.gov/diseases/10307/congenital-disorders-of-glycosylation>
- DOLK-CDG (CDG-1m)
<https://rarediseases.info.nih.gov/diseases/12393/dolk-cdg-cdg-im>

Additional NIH Resources

- National Heart, Lung, and Blood Institute: Dilated Cardiomyopathy
<http://www.nhlbi.nih.gov/health/health-topics/topics/cm/types#DilatedCardiomyopathy>

Educational Resources

- American Heart Association: Dilated Cardiomyopathy
http://www.heart.org/HEARTORG/Conditions/More/Cardiomyopathy/Dilated-Cardiomyopathy_UCM_444187_Article.jsp#.VtCBZuYkqy4
- Cleveland Clinic: Dilated Cardiomyopathy
http://my.clevelandclinic.org/services/heart/disorders/cardiomyopathy/dilated_cardiomyopathy
- CLIMB: Congenital Disorders of Glycosylation Info Sheet
<http://www.climb.org.uk/IMD/Charlie/CongenitalDisordersofGlycosylation-General.pdf>
- Disease InfoSearch: Congenital disorder of glycosylation type 1M
<http://www.diseaseinfosearch.org/Congenital+disorder+of+glycosylation+type+1M/8051>
- MalaCards: dolk-congenital disorder of glycosylation
http://www.malacards.org/card/dolk_congenital_disorder_of_glycosylation

- Merck Manual Consumer Version: Dilated Cardiomyopathy
<http://www.merckmanuals.com/home/heart-and-blood-vessel-disorders/cardiomyopathy/dilated-cardiomyopathy>
- Orphanet: Congenital disorder of glycosylation
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=137

Patient Support and Advocacy Resources

- American Heart Association
<http://www.heart.org/HEARTORG/>
- CLIMB: Children Living with Inherited Metabolic Diseases (UK)
<http://www.climb.org.uk/>
- EUROGLYCANET
<http://www.euroglycanet.org/uz/CDG>
- National Organization for Rare Disorders (NORD)
<http://rarediseases.org/rare-diseases/congenital-disorders-of-glycosylation/>
- RareConnect
<https://www.rareconnect.org/en/community/cdg>

GeneReviews

- Congenital Disorders of N-Linked Glycosylation Pathway Overview
<https://www.ncbi.nlm.nih.gov/books/NBK1332>

Genetic Testing Registry

- Congenital disorder of glycosylation type 1M
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1835849/>

ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22DOLK-congenital+disorder+of+glycosylation%22+OR+%22Congenital+Disorders+of+Glycosylation%22>

Scientific articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28dolichol+kinase%29+OR+%28DOLK%29%29+AND+%28congenital+disorder+of+glycosylation%29+AND+english%5Bla%5D+AND+human%5Bmh%5D>

OMIM

- CONGENITAL DISORDER OF GLYCOSYLATION, TYPE 1m
<http://omim.org/entry/610768>

Sources for This Summary

- Buczkowska A, Swiezewska E, Lefeber DJ. Genetic defects in dolichol metabolism. J Inherit Metab Dis. 2015 Jan;38(1):157-69. doi: 10.1007/s10545-014-9760-1. Epub 2014 Oct 1. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/25270028>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4281381/>
- Denecke J, Kranz C. Hypoglycosylation due to dolichol metabolism defects. Biochim Biophys Acta. 2009 Sep;1792(9):888-95. doi: 10.1016/j.bbadis.2009.01.013. Epub 2009 Feb 3. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/19419701>
- Helander A, Stödborg T, Jaeken J, Matthijs G, Eriksson M, Eggertsen G. Dolichol kinase deficiency (DOLK-CDG) with a purely neurological presentation caused by a novel mutation. Mol Genet Metab. 2013 Nov;110(3):342-4. doi: 10.1016/j.ymgme.2013.07.002. Epub 2013 Jul 10.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/23890587>
- Lefeber DJ, de Brouwer AP, Morava E, Riemersma M, Schuurs-Hoeijmakers JH, Absmanner B, Verrijp K, van den Akker WM, Huijben K, Steenbergen G, van Reeuwijk J, Jozwiak A, Zucker N, Lorber A, Lammens M, Knopf C, van Bokhoven H, Grünwald S, Lehle L, Kapusta L, Mandel H, Wevers RA. Autosomal recessive dilated cardiomyopathy due to DOLK mutations results from abnormal dystroglycan O-mannosylation. PLoS Genet. 2011 Dec;7(12):e1002427. doi: 10.1371/journal.pgen.1002427. Epub 2011 Dec 29.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/22242004>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3248466/>
- Lieu MT, Ng BG, Rush JS, Wood T, Basehore MJ, Hegde M, Chang RC, Abdenur JE, Freeze HH, Wang RY. Severe, fatal multisystem manifestations in a patient with dolichol kinase-congenital disorder of glycosylation. Mol Genet Metab. 2013 Dec;110(4):484-9. doi: 10.1016/j.ymgme.2013.09.016. Epub 2013 Oct 4.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/24144945>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3909743/>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/dolk-congenital-disorder-of-glycosylation>

Reviewed: March 2016

Published: November 15, 2016

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services